Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	244	717/116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 16:19
S2	68	persistent adj agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:21
S3	741	(persistent adj object) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:09
S4	282	(persistent adj object) and (relational adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:09
S5	171	(persistent adj object) and (relational adj database) same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:22
S6	15	persistent adj agent and (stor$3 near5 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:19
S7	0	(persistent adj agent) and ((persistent adj object) and (relational adj database) same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:19
S8	102	(persistent adj object) and (relational adj database) same table and primary and key and column	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:20
S9	62	(persistent adj object) and (relational adj database) same table and primary and key and column and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:20

S10	0	instantiat$3 same (persistent adj agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:21
S11	73	(stor$3 near5 (persistent adj object)) and (relational adj database) same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/15 17:22
S12	11	("5581761" | "5613099" | "5809507" | "5809508" | "5809509" | "5848419" | "6138143" | "6223184" | "6339782" | "6351751" | "6353860").PN.	USPAT	OR	OFF	2004/01/15 17:23
S13	8	("5809508" "6012067" "6061515" "6341289").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/22 10:05
S14	66	persistent adj agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 15:28
S15	0	persistent adj agent near5 (identity or nam$3 or moniker or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 15:29
S16	0	persistent adj agent same (class near5 (identity or nam$3 or moniker or identity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 15:38
S17	1	persistent adj agent same (class near5 (identity or nam$3 or moniker or identity or defin$3 or definition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 15:43
S18	5	"6351751".URPN.	USPAT	OR	OFF	2004/08/16 15:41
S19	0	(creat$3 or instantiat$3 or constructor) near5 (persistent adj agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:09

S20	1	(creat$3 or instantiat$3 or constructor) same (persistent adj agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 15:55
S21	1	"6675159".URPN.	USPAT	OR	OFF	2004/08/16 15:46
S22	5	(creat$3 or instantiat$3 or constructor) same (aglet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 15:57
S23	10	(nam$3 or identity or identify$3 or identification or moniker) same (aglet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:06
S24	5	(nam$3 or identity or identify$3 or identification or moniker) same (autonomous adj software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:02
S25	58	aglet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:03
S26	28	aglet and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:03
S27	30	aglet and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:03
S28	38338	(nam$3 or identity or identify$3 or identification or moniker) same (agent) and (interfac$3 or stor$3 or retriev$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:07
S29	11970	(nam$3 or identity or identify$3 or identification or moniker) near5 (agent) and (interfac$3 or stor$3 or retriev$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:07
S30	1840	(nam$3 or identity or identify$3 or identification or moniker) near5 (agent) and (interfac$3 or stor$3 or retriev$3) and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:08

S31	144	(nam$3 or identity or identify$3 or identification or moniker) near5 (agent) and (interfac$3 or stor$3 or retriev$3) and 7??/???.ccls. and (nam$3 near5 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:09
S32	8081	(creat$3 or instantiat$3 or constructor) near5 (agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:09
S33	4240	(creat$3 or instantiat$3 or constructor) near2 (agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 16:10
S34	56	((nam$3 or identity or identify$3 or identification or moniker) near5 (agent) and (interfac$3 or stor$3 or retriev$3) and 7??/???.ccls. and (nam$3 near5 class)) and ((creat$3 or instantiat$3 or constructor) near2 (agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 17:36
S35	98	agent same design adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 17:39
S36	153	software same design adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 17:40
S37	19	software same design adj pattern and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 17:42
S38	105	class same (naming adj conventions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/16 17:43
S39	24	class same (naming adj conventions) and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/17 07:21
S40	0	"6321261".URPN.	USPAT	OR	OFF	2004/08/16 17:47
S41	3	("5341478" | "5603031" | "6085030").PN.	USPAT	OR	OFF	2004/08/16 17:47

S42	1	"6374256".pn. and persisten$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/17 07:21
S43	222	(session same database) and (persist$4 or permanent$3) and (stor$3 near3 object) and (creat$3 or instantiat$3 or initializ$5 or constructor or invok$3 or new) near3 (agent or manager or interface) and (method or function of routine or sub-routine or newclass) same (argument or parameter or supply$3 or provid$3) same (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 07:45
S44	4	(session same database) same (persist$4 or permanent$3) same (stor$3 near3 object) and (creat$3 or instantiat$3 or initializ$5 or constructor or invok$3 or new) near3 (agent or manager or interface) and (method or function of routine or sub-routine or newclass) same (argument or parameter or supply$3 or provid$3) same (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 07:48
S45	4	(session same (database or file or repository or store)) same (persist$4 or permanent$3) same (stor$3 near3 object) and (creat$3 or instantiat$3 or initializ$5 or constructor or invok$3 or new) near3 (agent or manager or interface) and (method or function of routine or sub-routine or newclass) same (argument or parameter or supply$3 or provid$3) same (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 07:50

S46	188	session and (persist$4 or permanent$3) same (stor$3 near3 object) and (creat$3 or instantiat$3 or initializ$5 or constructor or invok$3 or new) near3 (agent or manager or interface) and (method or function or routine or sub-routine or newclass) same (argument or parameter or supply$3 or provid$3) same (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 08:34
S47	4	(session same (database or file or repository or store)) same (persist$4 or permanent$3) same (stor$3 near3 object) and (creat$3 or instantiat$3 or initializ$5 or constructor or invok$3 or new) near3 (agent or manager or interface) and (method or function or routine or sub-routine or newclass) same (argument or parameter or supply$3 or provid$3) same (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 07:50
S48	65	persistent$2 same stor$3 near5 ((class or object) near2 type$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 08:35
S49	65	persistent$2 same(stor$3 near5 ((class or object) near2 type$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 08:36
S50	65	persistent$2 same(stor$3 near5 ((class or object) near2 type$3)) and (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid or type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 09:15
S51	37	persistent$2 same(map$4 near5 ((class or object) near2 type$3)) and (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid or type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 09:16

S52	37	persistent$2 same(map$4 near5 ((class or object) near2 type$3)) same (name or pathname or namespace or path-name or name-space or moniker or id or identif$7 or clsid or type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 09:16
S53	54	("5235701" | "5297279" | "5499371" | "5615362" | "5627979" | "5659735" | "5737601" | "5752245" | "5805804" | "5806075" | "5819251" | "5819256" | "5826085").PN. OR ("5937409"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/31 09:58
S54	831	class near3 (nam$3 or namespace or id or identity or identification) near5 (instantiat$3 or "instance of" or creat$3 or invok$5 or initializ$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/31 10:01
S55	20	class near3 (nam$3 or namespace or id or identity or identification) near5 (instantiat$3 or "instance of" or creat$3 or invok$5 or initializ$5) same (stor$3 near2 object)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/31 10:57
S56	1	"6321261".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/31 10:57
S57	1	("6321261").URPN.	USPAT	OR	OFF	2005/03/31 10:57